



2024 OVERVIEW & PRODUCT SPECS

BELLFIRE SHIELDS

LEVEL IIIA + III BALLISTIC PROTECTION

BELLFIRE SHIELDS

LEVEL IIIA + III BALLISTIC SHIELDS



HighCom Armor's line of Bellfire Shields, provide police and military personnel with advanced multi-hit protection from Level IIIA or Level III threats. Our shields are independently tested through an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01.

As one of the only USA Shield Manufacturers, we handcraft every aspect in-house for maximum quality assurance and partner with suppliers such as DuPont, DSM, Teijin, Barrday, Honeywell to ensure the highest quality materials are used in the construction of our shields. Currently deployed with law enforcement and military agencies worldwide our Bellfire Shields have been battle-tested in the harshest of conditions.

BELLFIRE SHIELDS



TITAN

MTS

LTS

B

FRS

RDS

DESIGN & DEVELOPMENT OPTIONS

In addition to our line of Bellfire Shields, we also offer custom shield solutions and shapes. Shields are available with and without a viewport and can be configured with multiple handle and LED light options including Elzetta and Foxfury solutions. Contact our sales team for more information about available cuts and custom build solutions.



AVAILABLE SHIELD SIZES

12"x20"	14"x30"	15"x30"	16"x24"	16"x24"	18"x24"	18"x30"	18"x34"	20"x30"	20"x31"
20"x34"	20"x40"	20"x60"	22"x32"	22"x44"	24"x36"	24"x48"	24"x51"	30"x60"	

HIGHCOMARMOR.COM

COMPARISON CHART

LEVEL IIIA + III SHIELDS



	TDS	TITAN	MTS	LTS	BRAVO	FRS	RDS
NIJ 0108.01 Tested	✓	✓	✓	✓	✓	✓	✓
Level IIIA	✓	✓	✓	✓	✓	✓	✓
Level III	✓	✓	✓	✓	✓	✓	
DEA Tested							✓
MIL-STD-662F							✓
Multi Hit	✓	✓	✓	✓	✓	✓	✓
Flat	✓	✓	✓	✓	✓	✓	✓
Single Curve		✓	✓	✓	✓		
5 Year Warranty	✓	✓	✓	✓	✓	✓	✓
ID Placard or Decal		✓	✓	✓	✓	✓	✓
Rhino Extreme Anti Spall	✓	✓	✓	✓	✓	✓	
LED Light (Optional)		✓	✓	✓	✓	✓	
Ballistic Viewport		2.5"x 8.5"	4"x 10"	2.5"x 8.5" 4"x 10"	4"x 16"		
Material	U-H-H STEEL	UHMWPE	UHMWPE	UHMWPE	UHMWPE	UHMWPE	Advanced Aramid Matrix
Level 3A Weight: 24"x 36"			Viewport	No Viewport	Viewport	No Viewport	No Viewport
			12 lbs	10 lbs	13 lbs	10 lbs	10 lbs
Level 3 Weight: 24"x 36"			Viewport	No Viewport	Viewport	No Viewport	No Viewport
			32 lbs	28 lbs	36 lbs	28 lbs	22 lbs
Available Sizes	3		2	6	6	10	8

HIGHCOMARMOR.COM

BELLFIRE SHIELDS

TESTING STANDARDS



Bellfire Shields are rigorously tested according to NIJ Standard 0108.01 threats by NIJ accredited laboratory. We also perform special threat testing both internally at our in-house ballistic lab and through an NVLAP accredited NIJ approved laboratory. We do this to ensure we are producing the most reliable and toughest shields on the market. Our adherence to these high standards of quality is proven by a flawless track record, with well over a million pieces of armor deployed worldwide, HighCom Armor has never had a failure, a penetration, or a recall of our armor. We hold ourselves to the highest standards and testing protocols because the lives we stand to protect depend upon it.

NIJ 0108.01 THREATS						
LEVEL	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	(+/- ft/s)
IIA	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1090	332	(+/- 40)
IIA	Handgun	.357 Magnum Jacketed Soft Point (JSP)	158	1250	381	(+/- 50)
II	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1175	358	(+/- 40)
II	Handgun	.357 Magnum Jacketed Soft Point (JSP)	158	1395	425	(+/- 50)
IIIA	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
IIIA	Handgun	.44 Magnum Lead SWC Gas Checked	240	1400	427	(+/- 50)
III	Rifle	7.62mm FMJ, Steel Jacketed Bullets (M80)	147	2750	838	(+/- 50)

SPECIAL THREATS						
LEVEL	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	(+/- ft/s)
IIIA	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
IIIA	Handgun	.40 S&W, Speer Gold Dot Hollow Point (GDHP)	165	940	287	(+/- 50)
IIIA	Handgun	9mm Luger, Speer Gold Dot II	147	1015	309	(+/- 50)
IIIA	Handgun	9mm +P+ (SXT)	127	1340	408	(+/- 30)
IIIA	Handgun	.40 S&W JHP, Speer Gold Dot (GDHP)	180	1240	378	(+/- 30)
IIIA	Handgun	9mm Luger JHP, Speer Gold Dot	147	1136	346	Contact Shot
IIIA	Handgun	5.7 x 28mm SS195, Lead Free Hollow Point (LFHP)	27	2000	610	(+/- 30)
IIIA	Handgun	5.7 x 28mm SS197, Hornady V-Max Blue Tip	40	1790	546	(+/- 30)
III	Rifle	7.62 x 39mm Mild Steel Core	123	2400	732	(+/- 50)
III	Rifle	5.56 x 45mm M193 FMJ	55	3250	991	(+/- 50)
III	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)

HIGHCOMARMOR.COM

BELLFIRE THREAT CHART

ROUNDS TESTED



WEAPON TYPE	PROJECTILE	BELLFIRE IIIA SHIELDS					BELLFIRE III SHIELDS						
		FRS	RDS	BRAVO	LTS	MTS	FRS	BRAVO	LTS	MTS	TITAN	TDS	CIRS
Handgun	.357 Magnum Jacketed Soft Point (JSP)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	.44 Magnum Lead SWC Gas Checked	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	.40 S&W, Speer Gold Dot Hollow Point (GDHP)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	9mm Luger, Speer Gold Dot II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	9mm +P+ (SXT)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	.40 S&W JHP, Speer Gold Dot (GDHP)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	9mm Luger JHP, Speer Gold Dot	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	5.7 x 28mm SS195, Lead Free Hollow Point (LFHP)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	5.7 x 28mm SS197, Hornady V-Max Blue Tip	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Handgun	.40 S&W Full Metal Jacketed (FMJ)	✓					✓	✓	✓	✓	✓	✓	✓
Handgun	.357 SIG FMJ Flat Nose (FN)	✓					✓	✓	✓	✓	✓	✓	✓
Handgun	.44 Magnum Semi Jacketed Hollow Point (SJHP)	✓					✓	✓	✓	✓	✓	✓	✓
Rifle	7.62 mm FMJ, steel jacketed bullets (M80)						✓	✓	✓	✓	✓	✓	✓
Rifle	7.62 x 39mm Mild Steel Core						✓	✓	✓	✓	✓	✓	✓
Rifle	5.56 x 45mm M193 FMJ						✓	✓	✓	✓	✓	✓	✓
Rifle	.223 Remington Tactical Bonded Soft Point						✓	✓	✓	✓	✓	✓	✓

BELLFIRE MTS

MODULAR TACTICAL SHIELD LEVEL IIIA



4"x10" BALLISTIC VIEWPORT



OPTIONAL LED LIGHT UPGRADE
ELZETTA SHIELD LIGHT



STANDARD CONFIGURATION C HANDLE,
NECK STRAP, FOREARM STRAP



UPGRADED HANDLE
ELZETTA TRIDEXTROUS HANDLE

SPECIFICATIONS

- + **Protection:** Level IIIA stand alone against handgun rounds
- + **NIJ Standard 0108.01 TESTED:** This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01
- + **Material:** UHMWPE based material
- + **Exterior cover:** Polyurea with Rhino Extreme™ 11-50 anti spall coated
- + **Multi-hit capability (NIJ 0108.01)**
- + **Ballistic Viewport:** 4"x10"
- + **Color:** Black with transparent viewport
- + **Handle:** Comes standard with Bellfire C handle, a lightweight ergonomically designed ambidextrous handle, multiple handle upgrades available
- + **Straps and bag:** Quick release neck strap, forearm strap, and shield carrying bag
- + **Optional LED light:** Multiple upgrades offered for LED light platforms, please note shield does not come standard with a mounted light
- + **Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship

SIZES & WEIGHTS

SIZE	WEIGHT VIEWPORT	SIZE	WEIGHT VIEWPORT		
24"x36"	5.5 kg	12 lbs	24"x48"	7.4 kg	16 lbs

NIJ LEVEL IIIA THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Handgun	.357 Magnum Jacketed Soft Point (JSP)	158	1395	425	(+/- 50)
NIJ 0108.01	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
NIJ 0108.01	Handgun	.44 Magnum Lead SWC Gas Checked	240	1400	427	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
Special	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
Special	Handgun	.40 S&W, Speer Gold Dot Hollow Point (GDHP)	165	940	287	(+/- 50)
Special	Handgun	9mm Luger, Speer Gold Dot II	147	1015	309	(+/- 50)
Special	Handgun	9mm +P+ (SXT)	127	1340	408	(+/- 30)
Special	Handgun	.40 S&W JHP, Speer Gold Dot (GDHP)	180	1240	378	(+/- 30)
Special	Handgun	9mm Luger JHP, Speer Gold Dot	147	1136	346	(+/- 50)
Special	Handgun	5.7 x 28mm SS195, Lead Free Hollow Point (LFHP)	27	2000	610	(+/- 30)
Special	Handgun	5.7 x 28mm SS197, Hornady V-Max Blue Tip	40	1790	546	(+/- 30)

HIGHCOMARMOR.COM

©2024 HighCom Armor Solutions, Inc. All rights reserved. Specifications intended to provide general guidance and subject to change without notice. Technical Data regulated and restricted by U.S. Department of State International Traffic in Arms Regulations, ITAR and/or U.S. Department of Commerce, EAR. May require a license prior to Foreign National Access. U.S. Dept. of Commerce license may be required for export or re-export. Doc. Control: 20240426.01.PS -VER 1 | Approved: APRIL 26 2024



USA MADE



0108.01 TESTED



MULTI HIT



LIGHTWEIGHT



11-50 ANTI SPALL

BELLFIRE MTS

MODULAR TACTICAL SHIELD LEVEL III+



4"x10" BALLISTIC VIEWPORT



OPTIONAL LED LIGHT UPGRADE
ELZETTA SHIELD LIGHT



STANDARD CONFIGURATION C HANDLE,
NECK STRAP, MOLDED RUBBER STRAP



UPGRADED HANDLE
ELZETTA TRIDEXTROUS HANDLE

SPECIFICATIONS

- **Protection:** Level III stand alone against rifle rounds
- **NIJ Standard 0108.01 TESTED:** This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01
- **Material:** UHMWPE based material
- **Exterior cover:** Polyurea with Rhino Extreme™ 11-50 anti spall coated
- **Multi-hit capability (NIJ 0108.01)**
- **Ballistic Viewport:** 4"x10"
- **Color:** Black with transparent view-port
- **Handle:** Comes standard with Bellfire C handle, a lightweight ergonomically designed ambidextrous handle, multiple handle upgrades available
- **Straps and bag:** Quick release neck strap, molded rubber strap, and shield carrying bag
- **Optional LED light:** Multiple upgrades offered for LED light platforms, please note shield does not come standard with a mounted light
- **Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship

SIZES & WEIGHTS

SIZE	WEIGHT VIEWPORT	SIZE	WEIGHT VIEWPORT		
24"x36"	14.7 kg	32 lbs	24"x48"	20.5 kg	45 lbs

NIJ LEVEL III THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Rifle	7.62 mm FMJ, steel jacketed bullets (M80)	147	2750	838	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Rifle	7.62 mm FMJ, steel jacketed bullets (M80)	147	2750	838	(+/- 50)
Special	Rifle	7.62 x 39mm Mild Steel Core	123	2400	732	(+/- 50)
Special	Rifle	5.56 x 45mm M193 FMJ	55	3250	991	(+/- 50)
Special	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)

HIGHCOMARMOR.COM

©2024 HighCom Armor Solutions, Inc. All rights reserved. Specifications intended to provide general guidance and subject to change without notice. Technical Data regulated and restricted by U.S. Department of State International Traffic in Arms Regulations, ITAR and/or U.S. Department of Commerce, EAR. May require a license prior to Foreign National Access. U.S. Dept. of Commerce license may be required for export or re-export. Doc. Control: 20240426.01.PS - VER 1 | Approved: APRIL 26 2024



USA MADE



0108.01 TESTED



MULTI HIT



LIGHTWEIGHT



11-50 ANTI SPALL

BELLFIRE LTS

LIGHT TACTICAL SHIELD LEVEL IIIA



FLAT WITH VIEWPORT
OPTIONAL LIGHT UPGRADE



CURVED
NO VIEWPORT



4"x10" BALLISTIC VIEWPORT
OPTIONAL LED LIGHT UPGRADE
ELZETTA SHIELD LIGHT



UPGRADED HANDLE
ELZETTA HORIZONTAL HANDLE

SPECIFICATIONS

- + **Protection:** Level IIIA stand alone against handgun rounds
- + **NIJ Standard 0108.01 TESTED:** Tested and verified to meet or exceed ballistic resistance as specified within NIJ Standard 0108.01 by an NIJ accredited laboratory
- + **Material:** UHMWPE based material
- + **Exterior cover:** Polyurea with Rhino Extreme™ 11-50 anti spall coated
- + **Multi-hit capability (NIJ 0108.01)**
- + **Ballistic viewport:** 2.5" x 8.5", 4"x10"
- + **Color:** Black with transparent viewport
- + **Handle:** Shield comes standard with Bellfire C handle, a lightweight ergonomically designed ambidextrous handle, multiple handle upgrades available
- + **Straps and bag:** Quick release neck strap, forearm strap, and shield carrying bag
- + **Optional LED light:** Multiple upgrades offered for LED light platforms, please note shield does not come standard with a mounted light
- + **Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship

SIZE & WEIGHT

SIZE	WEIGHT NO VIEWPORT	WEIGHT VIEWPORT	SIZE	WEIGHT NO VIEWPORT	WEIGHT VIEWPORT				
18"x24"	2.4 kg	5 lbs	3.6 kg	8 lbs	24"x36"	4.5 kg	10 lbs	6.1 kg	13 lbs
20"x34"	3.6 kg	8 lbs	5.2 kg	11 lbs	24"x48"	5.9 kg	13 lbs	7.5 kg	17 lbs
20"x40"	4.2 kg	9 lbs	5.8 kg	13 lbs	24"x51"	6.3 kg	14 lbs	7.8 kg	17 lbs

NIJ LEVEL IIIA THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Handgun	.357 Magnum Jacketed Soft Point (JSP)	158	1395	425	(+/- 50)
NIJ 0108.01	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
NIJ 0108.01	Handgun	.44 Magnum Lead SWC Gas Checked	240	1400	427	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
Special	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
Special	Handgun	.40 S&W, Speer Gold Dot Hollow Point (GDHP)	165	940	287	(+/- 50)
Special	Handgun	9mm Luger, Speer Gold Dot II	147	1015	309	(+/- 50)
Special	Handgun	9mm +P+ (SXT)	127	1340	408	(+/- 30)
Special	Handgun	.40 S&W JHP, Speer Gold Dot (GDHP)	180	1240	378	(+/- 30)
Special	Handgun	9mm Luger JHP, Speer Gold Dot	147	1136	346	(+/- 50)
Special	Handgun	5.7 x 28mm SS195, Lead Free Hollow Point (LFHP)	27	2000	610	(+/- 30)
Special	Handgun	5.7 x 28mm SS197, Hornady V-Max Blue Tip	40	1790	546	(+/- 30)

HIGHCOMARMOR.COM



BELLFIRE LTS

LIGHT TACTICAL SHIELD LEVEL III+ SHIELD



TACTICAL CUT FLAT
2.5" X 8.5" BALLISTIC VIEWPORT
SHIELD LIGHT (OPTIONAL)



4"x10" BALLISTIC VIEWPORT



OPTIONAL LED LIGHT UPGRADE
ELZETTA SHIELD LIGHT



UPGRADED HANDLE
ELZETTA TRIDEXTROUS HANDLE

SPECIFICATIONS

- + **Protection:** Level III stand alone against rifle rounds
- + **NIJ Standard 0108.01 TESTED:** Tested and verified to meet or exceed ballistic resistance as specified within NIJ Standard 0108.01 by an NIJ accredited laboratory
- + **Material:** UHMWPE based material, Available flat or curve
- + **Exterior cover:** Polyurea with Rhino Extreme™ 11-50 anti spall coated
- + **Multi-hit capability (NIJ 0108.01)**
- + **Ballistic viewport:** 2.5"x8.5" 4"x10"
- + **Color:** Black with transparent viewport
- + **Handle:** Shield comes standard with Bellfire C handle, a lightweight ergonomically designed ambidextrous handle, multiple handle upgrades available
- + **Straps and bag:** Quick release neck strap, molded rubber strap, and shield carrying bag
- + **Optional LED light:** Multiple upgrades offered for LED light platforms, please note shield does not come standard with a mounted light
- + **Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship

SIZE & WEIGHT

SIZE	WEIGHT NO VIEWPORT	WEIGHT VIEWPORT	SIZE	WEIGHT NO VIEWPORT	WEIGHT VIEWPORT
18"x24"	6.4 kg	14 lbs	24"x36"	12.5 kg	28 lbs
20"x34"	9.9 kg	22 lbs	24"x48"	16.6 kg	37 lbs
20"x40"	11.6 kg	26 lbs	24"x51"	17.6 kg	39 lbs

NIJ LEVEL III THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Rifle	7.62 mm FMJ, steel jacketed bullets (M80)	147	2750	838	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
Special	Rifle	7.62 x 39mm Mild Steel Core	123	2400	732	(+/- 50)
Special	Rifle	5.56 x 45mm M193 FMJ	55	3250	991	(+/- 50)
Special	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)

HIGHCOMARMOR.COM



BELLFIRE B3A

BRAVO LEVEL IIIA SHIELD



NO VIEWPORT



4" x 16" BALLISTIC VIEWPORT



OPTIONAL LED LIGHT UPGRADE
ELZETTA SHIELD LIGHT



STANDARD CONFIGURATION C HANDLE,
NECK STRAP, FOREARM STRAP

SPECIFICATIONS

- + Protection: Level IIIA stand alone against handgun rounds
- + NIJ Standard 0108.01 TESTED: This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01
- + Multi-hit capability (NIJ 0108.01)
- + Material: UHMWPE based material
- + Exterior cover: Polyurea with Rhino Extreme™ 11-50 anti spall coated
- + Ballistic Viewport: 4"x16"
- + Color: Black with transparent view-port
- + Handle: Comes standard with Bellfire C handle, a lightweight ergonomically designed ambidextrous handle, multiple handle upgrades available
- + Straps and bag: Quick release neck strap, forearm strap, and shield carrying bag
- + Optional LED light: Multiple upgrades offered for LED light platforms, please note shield does not come standard with a mounted light
- + Warranty: 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship

SIZE & WEIGHT

SIZE	WEIGHT NO VIEWPORT	WEIGHT VIEWPORT	SIZE	WEIGHT NO VIEWPORT	WEIGHT VIEWPORT				
18"x24"	2.4 kg	5 lbs	-	-	24"x36"	4.5 kg	10 lbs	6.1 kg	13 lbs
20"x34"	3.6 kg	8 lbs	5.2 kg	11 lbs	24"x48"	5.9 kg	13 lbs	7.5 kg	17 lbs
20"x40"	4.2 kg	9 lbs	5.8 kg	13 lbs	24"x51"	6.3 kg	14 lbs	7.8 kg	17 lbs

NIJ LEVEL IIIA THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Handgun	.357 Magnum Jacketed Soft Point (JSP)	158	1395	425	(+/- 50)
NIJ 0108.01	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
NIJ 0108.01	Handgun	.44 Magnum Lead SWC Gas Checked	240	1400	427	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
Special	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
Special	Handgun	.40 S&W, Speer Gold Dot Hollow Point (GDHP)	165	940	287	(+/- 50)
Special	Handgun	9mm Luger, Speer Gold Dot II	147	1015	309	(+/- 50)
Special	Handgun	9mm +P+ (SXT)	127	1340	408	(+/- 30)
Special	Handgun	.40 S&W JHP, Speer Gold Dot (GDHP)	180	1240	378	(+/- 30)
Special	Handgun	9mm Luger JHP, Speer Gold Dot	147	1136	346	(+/- 50)
Special	Handgun	5.7 x 28mm SS195, Lead Free Hollow Point (LFHP)	27	2000	610	(+/- 30)
Special	Handgun	5.7 x 28mm SS197, Hornady V-Max Blue Tip	40	1790	546	(+/- 30)

HIGHCOMARMOR.COM



USA MADE



0108.01 TESTED



MULTI HIT



LIGHTWEIGHT



11-50 ANTI SPALL

BELLFIRE B3

BRAVO LEVEL III+ SHIELD



NO VIEWPORT



4"x16" BALLISTIC VIEWPORT



OPTIONAL LED LIGHT UPGRADE
ELZETTA SHIELD LIGHT



STANDARD CONFIGURATION C HANDLE,
NECK STRAP, MOLDED RUBBER STRAP

SPECIFICATIONS

- + **Protection:** Level III+ stand alone against rifle rounds
- + **NIJ Standard 0108.01:** Tested and verified to meet or exceed ballistic resistance as specified within NIJ Standard 0108.01 by an NIJ accredited laboratory
- + **Material:** UHMWPE based material
- + **Exterior cover:** Polyurea with Rhino Extreme™ 11-50 anti spall coated
- + **Ballistic Viewport:** 4" x 16"
- + **Multi-hit capability (NIJ 0108.01)**
- + **Color:** Black with transparent viewport
- + **Handle:** Comes standard with Bellfire C handle, a lightweight ergonomically designed ambidextrous handle, multiple handle upgrades available
- + **Straps and bag:** Quick release neck strap, molded rubber strap, and shield carrying bag
- + **Optional LED light:** Multiple upgrades offered for LED light platforms, please note shield does not come standard with a mounted light
- + **Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship

SIZE & WEIGHT

SIZE	WEIGHT	NO VIEWPORT	WEIGHT	VIEWPORT	SIZE	WEIGHT	NO VIEWPORT	WEIGHT	VIEWPORT
18"x24"	6.4 kg	14 lbs	-	-	24"x36"	12.5 kg	28 lbs	18.2 kg	40 lbs
20"x34"	9.9 kg	22 lbs	15.6 kg	34 lbs	24"x48"	16.6 kg	37 lbs	22.3 kg	49 lbs
20"x40"	11.6 kg	26 lbs	17.3 kg	38 lbs	24"x51"	17.6 kg	39 lbs	23.3 kg	51 lbs

NIJ LEVEL III THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Rifle	7.62 mm FMJ, steel jacketed bullets (M80)	147	2750	838	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
Special	Rifle	7.62 x 39mm Mild Steel Core	123	2400	732	(+/- 50)
Special	Rifle	5.56 x 45mm M193 FMJ	55	3250	991	(+/- 50)
Special	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)

HIGHCOMARMOR.COM

©2024 HighCom Armor Solutions, Inc. All rights reserved. Specifications intended to provide general guidance and subject to change without notice. Technical Data regulated and restricted by U.S. Department of State International Traffic in Arms Regulations, ITAR and/or U.S. Department of Commerce, EAR. May require a license prior to Foreign National Access. U.S. Dept. of Commerce license may be required for export or re-export. Doc. Control: 20240426.01.PS - VER 1 | Approved: APRIL 26 2024



BELLFIRE TITAN III

ULTRA-LIGHT LEVEL III SHIELD



TACTICAL CUT FLAT
2.5" X 8.5" BALLISTIC VIEWPORT
SHIELD LIGHT (OPTIONAL)



STANDARD PADDING
WITH SHOULDER STRAP



RECTANGLE WITH CURVE
4" X 10" BALLISTIC VIEWPORT
SHIELD LIGHT (OPTIONAL)



STANDARD CONFIGURATION C-HANDLE,
NECK STRAP, MOLDED RUBBER STRAP

The TITAN III™ is a lightweight, high-performing, and multi-hit level III+ rifle shield proven to reduce operator fatigue. Up to 30% lighter than competitive models, the TITAN is engineered from ultra-light UHMWPE and has been independently tested by an NVLAP accredited NIJ approved laboratory to NIJ Standard 0108.01. The TITAN's slim profile ensures easy maneuverability when deployed in the field. The TITAN comes standard with C-Handle, 2.5"x8.5" or 4"x10" ballistic viewport, shoulder strap and carry bag. The TITAN is available in 20"x30" and 20"x34" threat level III, with tactical flat cut or curved versions. Optional handle and LED light combinations are available as an upgrade. The TITAN is also available without a viewport for level III+ rifle protection as light as 13.3 pounds!

SPECIFICATIONS

- + **Protection:** Level III stand-alone against rifle rounds and lesser threats.
- + **NIJ Standard 0108.01 TESTED:** This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01
- + **Material:** UHMWPE based material
- + **Exterior Cover:** Polyurea with Rhino Extreme™ 1150Fr Anti Spall Coated System
- + **Ballistic Viewport (Optional):** 2.5" x 8.5", 4" x 10"
- + **Handle:** Shield comes standard with HighCom C-Handle which is ambidextrous. Multiple handle upgrades available
- + **Multi-hit capability** NIJ 0108.01
- + **Color:** Black with transparent viewport
- + **Straps and bag:** Quick release neck strap, molded rubber strap, and shield carrying bag
- + **Optional LED light:** Multiple upgrades offered for LED light platforms, please note shield does not come standard with a mounted light
- + **Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship

SIZES & WEIGHTS

SIZE	WEIGHT NO VIEWPORT		WEIGHT WITH VIEWPORT	
20" x 30"	6.1 kg	13.6 lbs	8.3 kg	18.3 lbs
20" x 34"	7.3 kg	16 lbs	10.9 kg	24 lbs

BALLISTIC ROUNDS TESTED

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Rifle	7.62 mm FMJ, steel jacketed bullets (M80)	147	2750	838	(+/- 50)
Special	Rifle	7.62 x 39mm Mild Steel Core	123	2400	732	(+/- 50)
Special	Rifle	5.56 x 45mm M193 FMJ	55	3250	991	(+/- 50)
Special	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)

HIGHCOMARMOR.COM



USA MADE



0108.01 TESTED



MULTI HIT



LIGHTWEIGHT



11-50 ANTI SPALL


BELLFIRE TITAN FRS III

ULTRA-LIGHT LEVEL III SHIELD



SPECIFICATIONS

- Protection:** Level III+ stand-alone against rifle rounds and lesser threats.
- NIJ Standard 0108.01 TESTED:** This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01
- Material:** UHMWPE based material layup
- Thickness:** 0.50"
- Exterior cover:** 1000D®, textured nylon (removable/washable cover)
- Exterior panel finish:** Polyurea with Rhino Extreme™ 11-50 anti spall coated system
- Handle:** Nylon sewn ambidextrous handle configuration
- ID placard:** Front velcro strip for ID attachment
- DWR:** Water resistant covers and optional FR fire-retardant treatment available
- Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship



SIZE & WEIGHT

SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT
16"x29"	2.4 kg	5 lbs	18"x34"	3.2 kg	7 lbs	20"x40"	4.2 kg
18"x24"	2.3 kg	5 lbs	20"x34"	3.6 kg	8 lbs	24"x36"	4.5 kg

NIJ LEVEL IIIA THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Handgun	.357 Magnum Jacketed Soft Point (JSP)	158	1395	425	(+/- 50)
NIJ 0108.01	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
NIJ 0108.01	Handgun	.44 Magnum Lead SWC Gas Checked	240	1400	427	(+/- 50)

BALLISTIC ROUNDS TESTED

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Rifle	7.62 mm FMJ, steel jacketed bullets (M80)	147	2750	838	(+/- 50)
Special	Rifle	7.62 x 39mm Mild Steel Core	123	2400	732	(+/- 50)
Special	Rifle	5.56 x 45mm M193 FMJ	55	3250	991	(+/- 50)
Special	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)

COLORS

Black	Coyote	OD Green	Multi-Cam	Ranger Green	Wolf Grey
-------	--------	----------	-----------	--------------	-----------

HIGHCOMARMOR.COM

©2024 HighCom Armor Solutions, Inc. All rights reserved. Specifications intended to provide general guidance and subject to change without notice. Technical Data regulated and restricted by U.S. Department of State International Traffic in Arms Regulations, ITAR and/or U.S. Department of Commerce, EAR. May require a license prior to Foreign National Access. U.S. Dept. of Commerce license may be required for export or re-export. Doc. Control: 20240426.01.PS - VER 1 | Approved: APRIL 26 2024



USA MADE



0108.01 TESTED



MULTI HIT



LIGHTWEIGHT



11-50 ANTI SPALL

BELLFIRE TDS

STEEL TACTICAL DEPLOYMENT SHIELD LEVEL III+



The Tactical Deployment Shield was engineered to provide an economical option for level III+ protection to rifle threats. The TDS III+ defeats higher special threats like M855 (green tip) compared to most other level III shields deployed today and is budget friendly. The TDS III+ is easy to stow, quick to deploy, and is a great option for law enforcement and school systems. The TDS III+ is available in three sizes.



14" x 24" FRONT VIEW



14" x 24" BACK VIEW
Standard "C" Handle and Pad

SPECIFICATIONS

- Protection:** Level III+ Stand Alone High Velocity Rifle Rounds
- NIJ Standard 0108.01**
- RST:** Rifle Special Threats Validated
- Material:** U-H-H Steel
- Handle:** Comes standard with C handle, a lightweight ergonomically designed ambidextrous handle
- Exterior Cover:** Polyurea with Rhino Extreme™ 11-50 Anti Spall Coated System
- Thickness:** 5mm
- Cuts:** Offer three tactical cut options
- Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship

SIZE & WEIGHT

SIZE	WEIGHT	MPN
12"x18"	11.4 lbs	5.1 kg
14"x24"	17.8 lbs	8.0 kg
16"x30"	25.6 lbs	11.6 kg

BALLISTIC ROUNDS TESTED

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- FT/S]
NIJ 0108.01	Rifle	7.62mm FMJ, Steel Jacketed Bullets (M80)	147	2750	838	(+/- 50)
SPECIAL	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)
SPECIAL	Rifle	5.56 x 45mm M855 (Green Tip)	62	3100	945	(+/- 50)
SPECIAL	Rifle	7.62 x 39mm Mild Steel Core	123	2400	731	(+/- 50)
SPECIAL	Rifle	7.62mm FMJ, Steel Jacketed Bullets (M80)	147	2750	838	(+/- 50)
SPECIAL	Rifle	.308 Winchester PSPB Core-Lokt Ultra Bonded	150	2600	792	(+/- 50)
SPECIAL	Rifle	5.56 x 45mm M193 FMJ	55	3000	915	(+/- 50)

HIGHCOMARMOR.COM

©2024 HighCom Armor Solutions, Inc. All rights reserved. Specifications intended to provide general guidance and subject to change without notice. Technical Data regulated and restricted by U.S. Department of State International Traffic in Arms Regulations, ITAR and/or U.S. Department of Commerce, EAR. May require a license prior to Foreign National Access. U.S. Dept. of Commerce license may be required for export or re-export. Doc. Control: 20240426.01.PS - VER 1 | Approved: APRIL 26 2024



USA MADE

MULTI HIT

11-50 ANTI SPALL

BELLFIRE CIRS

CRITICAL INCIDENT RESPONSE SHIELD LEVEL III+



The Critical Incident Response Shield or CIRS™ is a multi-hit level III+ rifle shield designed to be mounted on a wall, making it easily accessible during an active shooter situation. The shield's Rifle Special Threats validation ensures that it provides comprehensive protection against a wide range of ballistic threats, offering enhanced peace of mind. With a thickness of only 0.2" or 5mm, our shield maintains a slim profile, ensuring ease of use and maneuverability without compromising protection. The CIRS™ comes standard with C-Handles. The exterior is finished in a polyurethane enamel for a professional look. Available in Red, Blue and Black options to suit individual preferences.



STANDARD CONFIGURATION C-HANDLE
WALL MOUNT HANGER



REINFORCED HANDLES

SPECIFICATIONS

AVAILABLE COLORS

- Protection: Level III+ Stand Alone, capable of stopping high velocity rifle rounds & lesser threats.
- NIJ Standard 0108.01
- RST: Rifle Special Threats Validated
- Material: U-H-H Steel
- Exterior Cover: Polyuethane Enamel painted finish
- Thickness: 0.2" or 5mm
- Warranty: 10 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship



SIZES & WEIGHTS

SIZE	WEIGHT
18" x 20"	22.4 lbs

BALLISTIC ROUNDS TESTED

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- FT/S]
NIJ 0108.01	Rifle	7.62mm FMJ, Steel Jacketed Bullets (M80)	147	2750	847	(+/- 50)
SPECIAL	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)
SPECIAL	Rifle	5.56 x 45mm M855 (Green Tip)	62	3100	945	(+/- 50)
SPECIAL	Rifle	7.62 x 39mm Mild Steel Core	123	2400	731	(+/- 50)
SPECIAL	Rifle	7.62mm FMJ, Steel Jacketed Bullets (M80)	147	2750	838	(+/- 50)
SPECIAL	Rifle	.308 Winchester PSPB Core-Lokt Ultra Bonded	150	2600	792	(+/- 50)
SPECIAL	Rifle	5.56 x 45mm M193 FMJ	55	3250	991	(+/- 50)

HIGHCOMARMOR.COM

©2024 HighCom Armor Solutions, Inc. All rights reserved. Specifications intended to provide general guidance and subject to change without notice. Technical Data regulated and restricted by U.S. Department of State International Traffic in Arms Regulations, ITAR and/or U.S. Department of Commerce, EAR. May require a license prior to Foreign National Access. U.S. Dept. of Commerce license may be required for export or re-export. Doc. Control: 20240426.01.PS - VER 1 | Approved: APRIL 26 2024



USA MADE

MULTI HIT

11-50 ANTI SPALL


BELLFIRE FRS

FIRST RESPONDER SHIELD LEVEL IIIA



SPECIFICATIONS

- Protection:** Level IIIA stand alone against handgun rounds
- NIJ Standard 0108.01 TESTED:** This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01
- Material:** UHMWPE based material layup
- Thickness:** 0.50"
- Exterior cover:** 1000D®, textured nylon (removable/washable cover)
- Exterior panel finish:** Polyurea with Rhino Extreme™ 11-50 anti spall coated system
- Handle:** Nylon sewn ambidextrous handle configuration
- ID placard:** Front velcro strip for ID attachment
- DWR:** Water resistant covers and optional FR fire-retardant treatment available
- Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship



SIZE & WEIGHT

SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT
16"x29"	2.4 kg	5 lbs	18"x34"	3.2 kg	7 lbs	20"x40"	4.2 kg
18"x24"	2.3 kg	5 lbs	20"x34"	3.6 kg	8 lbs	24"x36"	4.5 kg

NIJ LEVEL IIIA THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Handgun	.357 Magnum Jacketed Soft Point (JSP)	158	1395	425	(+/- 50)
NIJ 0108.01	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
NIJ 0108.01	Handgun	.44 Magnum Lead SWC Gas Checked	240	1400	427	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
Special	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
Special	Handgun	.40 S&W, Speer Gold Dot Hollow Point (GDHP)	165	940	287	(+/- 50)
Special	Handgun	9mm Luger, Speer Gold Dot II	147	1015	309	(+/- 50)
Special	Handgun	9mm +P+ (SXT)	127	1340	408	(+/- 30)
Special	Handgun	.40 S&W JHP, Speer Gold Dot (GDHP)	180	1240	378	(+/- 30)
Special	Handgun	9mm Luger JHP, Speer Gold Dot	147	1136	346	(+/- 50)
Special	Handgun	5.7 x 28mm SS195, Lead Free Hollow Point (LFHP)	27	2000	610	(+/- 30)
Special	Handgun	5.7 x 28mm SS197, Hornady V-Max Blue Tip	40	1790	546	(+/- 30)

COLORS



HIGHCOMARMOR.COM

©2024 HighCom Armor Solutions, Inc. All rights reserved. Specifications intended to provide general guidance and subject to change without notice. Technical Data regulated and restricted by U.S. Department of State International Traffic in Arms Regulations, ITAR and/or U.S. Department of Commerce, EAR. May require a license prior to Foreign National Access. U.S. Dept. of Commerce license may be required for export or re-export. Doc. Control: 20240426.01.PS - VER 1 | Approved: APRIL 26 2024



USA MADE



0108.01 TESTED



MULTI HIT



LIGHTWEIGHT



11-50 ANTI SPALL

BELLFIRE FRS

FIRST RESPONDER SHIELD LEVEL III



SPECIFICATIONS

- Protection:** Level III stand alone against rifle rounds
- NIJ Standard 0108.01 TESTED:** This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01
- Material:** UHMWPE based material layup
- Thickness:** 1.25"
- Exterior cover:** 1000D®, textured nylon (removable/washable cover)
- Exterior panel finish:** Polyurea with Rhino Extreme™ 11-50 anti spall coated system
- Handle:** Nylon sewn ambidextrous handle configuration
- ID placard:** Front velcro strip for ID attachment
- DWR:** Water resistant covers and optional FR fire-retardant treatment available
- Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship



SIZE & WEIGHT

SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT
16"x29"	6.9 kg	15 lbs	18"x34"	9.1 kg	20 lbs	20"x40"	9.1 kg
18"x24"	6.5 kg	14 lbs	20"x34"	10.2 kg	22 lbs	24"x36"	10.2 kg

NIJ LEVEL III THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Rifle	.7.62 mm FMJ, steel jacketed bullets (M80)	147	2750	838	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
Special	Rifle	7.62 x 39mm Mild Steel Core	123	2400	732	(+/- 50)
Special	Rifle	5.56 x 45mm M193 FMJ	55	3250	991	(+/- 50)
Special	Rifle	.223 Remington Tactical Bonded Soft Point	62	2600	792	(+/- 50)

COLORS



HIGHCOMARMOR.COM

©2024 HighCom Armor Solutions, Inc. All rights reserved. Specifications intended to provide general guidance and subject to change without notice. Technical Data regulated and restricted by U.S. Department of State International Traffic in Arms Regulations, ITAR and/or U.S. Department of Commerce, EAR. May require a license prior to Foreign National Access. U.S. Dept. of Commerce license may be required for export or re-export. Doc. Control: 20240426.01.PS - VER 1 | Approved: APRIL 26 2024



BELLFIRE RDS

RAPID DEPLOYMENT SHIELD LEVEL IIIA



SPECIFICATIONS

- **Protection:** Level IIIA stand alone against handgun rounds
- **NIJ Standard 0108.01 TESTED:** This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01
- **DEA Tested:** This product meets and/or exceeds DEA standards
- **Material:** Aramid Hybrid
- **Thickness:** 0.50"
- **Exterior cover:** 1000D CORDURA®, textured nylon (removable/washable cover)
- **Handle:** Nylon sewn ambidextrous handle configuration
- **ID placard:** Front velcro strip for ID attachment
- **DWR:** Water resistant covers and optional FR fire-retardant treatment available
- **Warranty:** 5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship



SIZE & WEIGHT

SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT
16"x29"	2.4 kg	5 lbs	18"x34"	3.2 kg	7 lbs	20"x40"	4.2 kg
18"x24"	2.3 kg	5 lbs	20"x34"	3.6 kg	8 lbs	24"x36"	4.5 kg

NIJ LEVEL IIIA THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
NIJ 0108.01	Handgun	.357 Magnum Jacketed Soft Point (JSP)	158	1430	436	(+/- 50)
NIJ 0108.01	Handgun	.40 S&W Full Metal Jacketed (FMJ)	180	1155	352	(+/- 50)
NIJ 0108.01	Handgun	.357 SIG FMJ Flat Nose (FN)	125	1470	448	(+/- 50)
NIJ 0108.01	Handgun	.44 Magnum Semi Jacketed Hollow Point (SJHP)	240	1430	436	(+/- 50)
NIJ 0108.01	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)

SPECIAL THREATS

STANDARD	WEAPON	PROJECTILE	GR	VEL FT/S	VEL M/S	[+/- ft/s]
DEA 2017	Handgun	9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 50)
DEA 2017	Handgun	.40 S&W, Speer Gold Dot Hollow Point (GDHP)	165	940	287	(+/- 50)
DEA 2017	Handgun	9mm Luger, Speer Gold Dot II	147	1015	309	(+/- 50)
FBI	Handgun	9mm +P+ (SXT)	127	1340	408	(+/- 30)
FBI	Handgun	.40 S&W JHP, Speer Gold Dot (GDHP)	165	1240	378	(+/- 30)
FBI	Handgun	9mm Luger JHP, Speer Gold Dot	147	1136	346	Contact Shot
FBI	Handgun	5.7 x 28mm SS195, Lead Free Hollow Point (LFHP)	27	2000	610	(+/- 30)
FBI	Handgun	5.7 x 28mm SS197, Hornady V-Max Blue Tip	40	1790	546	(+/- 30)
DEA 2017	Frag	US MIL-STD Frag 2 gr. RCC	2	2735	834	x
DEA 2017	Frag	US MIL-STD Frag 4 gr. RCC	4	2420	738	x
DEA 2017	Frag	US MIL-STD Frag 16 gr. RCC	16	2080	634	x
DEA 2017	Frag	US MIL-STD Frag 64 gr. RCC	64	1620	494	x
MIL-STD 662F	Frag	US MIL-STD Frag 17 gr. FSP	17	2020	616	x

COLORS



HIGHCOMARMOR.COM


SHIELD ACCESSORIES

HANDLES, LIGHTS, STRAPS, STORAGE BAG



Multiple LED light and shield handle solutions available, including strobe-lighting and panoramic lighting for immediate situation assessment and several ambidextrous handle options for comfortable and secure grip. We currently offer in-house solutions as well as lighting and handle options from Elzetta and FoxFury.

SHIELD HANDLE + LIGHT OPTIONS					
SHIELD HANDLES	MTS	LTS	B	FRS	RDS
Bellfire C handle (standard handle)	x	x	x		
Bellfire Ambidextrous handle (optional upgrade)	x	x	x		
Bellfire Nylon sewn handle configuration				x	x
SHIELD LIGHTS					
FoxFury Taker B50	x	x	x		
FoxFury Taker B30	x	x	x	x	
LIGHT & HANDLE COMBINATIONS					
Elzetta Horizontal handle + LED light (strobe optional)	x	x	x		
Elzetta TriDextrous handle + LED light (strobe optional)	x	x	x		
FoxFury Taker B70	x	x	x		
C handle + FoxFury Taker B50	x	x	x		
C handle + FoxFury Taker B30	x	x	x		
Ambidextrous handle + FoxFury Taker B50	x	x	x		
Ambidextrous handle + FoxFury Taker B30	x	x	x		



BELLFIRE C HANDLE

Standard shield handle secure and ambidextrous grip during tactical operations.




BELLFIRE AMBIDEXTROUS HANDLE

Advanced tactical solution with comfortable and ambidextrous carry system for longer use without fatigue



BELLFIRE NYLON SEWN HANDLES

Standard configuration Bellfire Shields with nylon cover. Handles are sewn with 1000D Nylon and cover is removable/ washable.



HIGHCOMARMOR.COM

SHIELD ACCESSORIES

HANDLES, LIGHTS, STRAPS, STORAGE BAG



HORIZONTAL HANDLE



ELZETTA SHIELD LIGHT



TRIDEXTROUS HANDLE



ELZETTA SHIELD LIGHT + HANDLES

Elzetta LED Light and Horizontal handle features integrated solid-state tape switch while Elzetta LED Light and TriDextrous handle has three unique gripping surfaces with light-activating switches in each location. Both models have wide uniform beam pattern (1,000 lumens) with optional strobe light.

FOXFURY TAKER B70 LIGHT & HANDLE

Powerful 1200 lumen light with handle, dual settings (on/off and tactical) with three modes momentary, continuous On, and disorienting turbo-strobe.



FOXFURY TAKER B50 SHIELD LIGHT

Powerful, LED shield light with single switch operation

FOXFURY TAKER B30 SHIELD LIGHT

Single pressure switch that activates the light and changes modes

BELLFIRE SHIELD CARRYING BAG

Durable carrying and storage bag for ballistic shields, available in black.



CAM BUCKLE KIT
(ONLY AVAILABLE IN BLACK)



FOREARM STRAP (LEVEL 3A)



MOLDED RUBBER STRAP (LEVEL 3)



BELLFIRE CAM BUCKLE KIT

Provides operators with a supportive strap that is easily adjusted or removed

BELLFIRE SHIELD STRAPS

Bellfire Hard Armor Shields include a forearm or molded rubber strap for a secure grip.

BELLFIRE BATTERY POUCH

Durable carrying and storage bag for ballistic shields, available in black.

HIGHCOMARMOR.COM

BELLFIRE HANDLES + STRAPS

HIGHCOM SHIELD HANDLES



STANDARD LEVEL 3A SHIELD CONFIGURATION:
C HANDLE, NECK STRAP, FOREARM STRAP



STANDARD LEVEL 3 SHIELD CONFIGURATION:
C HANDLE, NECK STRAP, MOLDED RUBBER HANDLE



NYLON SEWN HANDLE CONFIGURATION
AND SHOULDER STRAP



AMBIDEXTROUS HANDLE



CAM BUCKLE KIT (ONLY AVAILABLE IN BLACK)



FOREARM STRAP (LEVEL 3A)



MOLDED RUBBER HANDLE (LEVEL 3)

SPECIFICATIONS

As one of the only manufacturers of shields in the USA, we handcraft every aspect in-house for maximum quality assurance. All our handles are designed to provide operators with sturdy and comfortable grips under extreme conditions. Hard armor shields come standard with the Bellfire C Handle and we offer multiple upgrades including the Bellfire Ambidextrous Handle as well as options from Elzetta, and FoxFury.

HANDLE + STRAP COMPATIBILITY CHART

SHIELD HANDLES	B	LTS	MTS	FRS	RDS
Bellfire C Handle (Standard Handle)	x	x	x		
Bellfire Ambidextrous Handle (Optional Upgrade)	x	x	x		
Bellfire Nylon Sewn Handle Configuration				x	x
Bellfire Molded Rubber Handle (Standard Strap for Level 3 Shields)	x	x	x		
Bellfire Forearm Strap (Standard Strap for Level 3A Shields)	x	x	x		
Bellfire CAM Buckle Kit	x	x	x		

HIGHCOMARMOR.COM

BELLFIRE HANDLES

C HANDLE + AMBIDEXTROUS HANDLE



BELLFIRE C HANDLE

The Bellfire C shield handle is our standard handle for all hard armor shields. The C handle provides operators with a comfortable and ambidextrous grip during tactical operations.

- + Standard handle for Bellfire B, LTS, and MTS
- + Made in USA
- + 2-year warranty

BELLFIRE AMBIDEXTROUS HANDLE

The Bellfire Ambidextrous shield handle is an optional upgrade for our hard armor shield range. The Ambidextrous handle's shape and ergonomic design provides reliable control and comfortable grip allowing for longer use without fatigue.

- + Padded for an exceptional grip in all conditions
- + Made in USA
- + 2-year warranty

COMPATIBLE SHIELDS

Bellfire B

Bellfire LTS

Bellfire MTS

COMPATIBLE SHIELDS

Bellfire B

Bellfire LTS

Bellfire MTS

HIGHCOMARMOR.COM

ELZETTA LIGHT + HANDLES

SHIELD LIGHTS & HANDLES



HORIZONTAL HANDLE



SHIELD LIGHT



TRIDEXTROUS HANDLE



SPECIFICATIONS

Elzetta Shield Lights bring a new level of quality and performance to the tactical protection market. The basic Elzetta Shield Light includes a horizontal handle with an integrated solid-state tape switch while the innovative TriDextrous™ version provides three unique gripping surfaces with light-activating switches in each location. Both models deliver 1,000 lumens of neutral-tint white light through two solid-acrylic optical flood lenses for a wall-of-light that uniformly illuminates an entire room. All electronics are fully potted for extreme durability with redundant circuitry for the two light sources to ensure continued operation should one source be damaged. A strobe feature is optional. No soldering or wire-routing is required for installation and comes with a five-year limited warranty.

- + Made in USA with American materials, tooling, and labor
- + CREE LED's produce 1000 lumens of light for over 2.5 hours without dimming
- + Wide uniform beam pattern enhances situational awareness and threat assessment
- + Optional strobe light feature designed to disorient adversaries by producing high frequency light flashes
- + Solid mounting via steel fasteners eliminates adhesives and threat of secondary projectiles
- + 5-Year warranty
- + Solid-state switch technology guarantees maximum reliability
- + Simple user interface is factory pre-programmed for momentary and constant-on operation
- + Complete redundancy ensures system operability even if one of two LED lights is destroyed
- + All wiring concealed inside the system to eliminate snag hazards
- + Molded-in textured surfaces provide exceptional grip in all conditions
- + Solid-acrylic optical lenses (no reflectors) provide extreme durability and superior beam quality
- + Soft edge beam gradually fades into environment to reduce tunnel-vision
- + Uses five (5) CR123 batteries
- + Neutral-tint light renders colors accurately similar to sunlight without artificial blue color
- + Fully-potted electronics lock circuit components in place for extreme durability
- + Battery cap easily disables system for storage and transport
- + Battery cap retained with integral lanyard to avoid loss and speed battery changes
- + All components sealed to provide a water-resistant all weather system
- + TriDextrous models may be carried in three positions and have three independent switches to control functionality in any posit

ELZETTA LED LIGHT AND HANDLE VARIATIONS

Light and Horizontal handle	Light and TriDextrous control handle
Light with strobe and Horizontal handle	Light with strobe and TriDextrous control handle

COMPATIBLE SHIELDS

Bellfire B	Bellfire LTS
Bellfire MTS	



FOXFURY B70

TAKER B70 SHIELD LIGHT & HANDLE



SPECIFICATIONS

The FoxFury Taker B70 is an integrated 1200 lumen light with handle for OEM ballistic shield manufacturers. This strobe-capable shield light provides tactical officers with panoramic lighting and immediate situation assessment to see and respond faster. The Taker B70 comes with two Power / Mode switches, which allows users to activate the light and toggle between modes with either hand. An optional single pressure switch (included) can also be used to activate the light and change modes. This light has dual settings: On/Off and Tactical (3 modes: Momentary, Continuous On, and disorienting Turbo-Strobe™). Two rows of LEDs operate on different circuits allowing a single row of LEDs to continue functioning in the event the other row becomes damaged. Drilling holes into new OEM shields allows the Taker B70 to mount securely.

- + The powerful B70 utilizes CREE LED technology and is powered by CR123 batteries
- + The ultra-durable B70 is waterproof, flame resistant, and designed for use in anti-riot situations along with dynamic and deliberate entries by SWAT, military special operations, and law enforcement around the globe
- + This integrated shield lighting and handle system requires holes through the shield, at specific distances

COMPATIBLE SHIELDS

Bellfire B

Bellfire MTS

Bellfire LTS

APPLICATIONS

Corrections

SWAT

Special Operations (Military / Police)

Hostage Rescue (Search / Recover)

Riot Control

Mobile Security

FOXFURY B50

TAKER B50 SHIELD LIGHT



SPECIFICATIONS

FoxFury Taker B50 Shield Light Single Switch with Nylon Guard is a powerful, retrofittable LED shield light for tactical shields.

- + Powerful, retrofittable LED shield light for tactical shields: single switch operation
- + Compact, retrofittable LED shield light with kill switch for law enforcement use
- + It uses CREE LEDs to deliver 600 lumens of panoramic light for immediate situation assessment
- + Multiple modes (including a varying frequency disorienting strobe) help provide law enforcement with a tactical advantage in the field
- + Can also be programmed to be on / off only, modes change via a single pressure switch
- + This durable tactical shield light mounts via industrial VELCRO to ballistic shields

COMPATIBLE SHIELDS	COMPATIBLE HANDLES
Bellfire B	C handle
Bellfire MTS	Ambidextrous handle
Bellfire LTS	

APPLICATIONS

- Corrections
- SWAT
- Special Operations (Military / Police)
- Hostage Rescue (Search / Recover)
- Riot Control
- Mobile Security

FOXFURY B30

TAKER B30 SHIELD LIGHT



SPECIFICATIONS

FoxFury Taker B30 provides operators with a powerful 600 lumen LED external light attachment. This strobe-capable shield light attaches to the front of the shield to provides tactical officers with panoramic lighting and immediate situation assessment to see and respond faster. The ultra-durable B30 is waterproof, flame resistant, and designed for use in anti-riot situations along with dynamic and deliberate entries by SWAT, military special operations, and law enforcement around the globe.

- + Powerful 600 lumen LED external light attachment
- + Waterproof and flame resistant
- + Designed for use in anti-riot situations
- + Single pressure switch that activates the light and changes modes
- + Dual light settings: On/off and Tactical (3 modes: momentary, continuous on, and disorienting Turbo-Strobe™)
- + Kill switch: Allows the operator to lock out the light from unintentional activation
- + Taker B30 mounts to the front of ballistic shields via industrial strength reclosable fasteners (Velcro®), which means no drilling into the shield and no compromising shield ballistics

COMPATIBLE SHIELDS

Bellfire FRS

Bellfire MTS

Bellfire LTS

Bellfire B

APPLICATIONS

Corrections

SWAT

Special Operations (Military / Police)

Hostage Rescue (Search / Recover)

Riot Control

Mobile Security

BELLFIRE SHIELD BAG

STORAGE & CARRYING BAG



BELLFIRE SHIELD BAG

The Bellfire Shield Bag is a durable carrying and storage bag for ballistic shields to keep your equipment battle ready. Ideal for securing your ballistic shield when on the go, the Bellfire Shield Bag is made from 1000D nylon and includes sturdy carrying handles and draw-string opening for easy access.

- + Made in the USA
- + Material: 1000D Nylon
- + Color: Black
- + Warranty: 2 year warranty on exterior cover and workmanship

SIZE & WEIGHT

SIZE	FITS	LENGTH	WIDTH	WEIGHT
Small	18"x24"	32"	23"	1.1 lbs
Medium	18"x34", 20"x34", 24"x36"	42"	27"	1.4 lbs
Large	24"x48", 24"x51"	53"	27"	1.8 lbs

HIGHCOMARMOR.COM